


CARDINAL

HEALTH CORNER

COVID 19 News



World Health Organization

Home care for people with suspected or confirmed COVID-19

If you are ill with fever and cough



Clean hands frequently with soap and water or with alcohol-based hand rub.

For ill people



Stay at home; do not attend work, school or public places. Rest, drink plenty of fluids and eat nutritious food.



Stay in a separate room from other family members, but if not possible wear a medical mask and keep a distance of at least 1 meter (3 feet) from other people. Keep the room well-ventilated and if possible use a dedicated bathroom.



When coughing or sneezing, cover mouth and nose with flexed elbow or use disposable tissue and discard after use. If you experience difficulty breathing, call your health care facility immediately.




MAPUA
UNIVERSITY

HEALTH SERVICES

CARDINAL

HEALTH CORNER

COVID 19 News



World Health Organization

Home care for people with suspected or confirmed COVID-19

All members of the household



Wash hands with soap and water regularly, especially:

- after coughing or sneezing
- before, during and after you prepare food
- before eating
- after using the toilet
- before and after caring for the ill person
- when hands are visibly dirty



Avoid unnecessary exposure to the ill person and avoid sharing items, such as eating utensils, dishes, drinks and towels.



When coughing or sneezing, cover mouth and nose with flexed elbow or use a disposable tissue and discard immediately after use.



Monitor everyone's health for symptoms such as fever, cough and if difficult breathing appear, call your health care facility immediately.




MAPÚA
UNIVERSITY

HEALTH SERVICES

CARDINAL

HEALTH CORNER

COVID 19 News



World Health Organization

Home care for people with suspected or confirmed COVID-19

For caregivers



Ensure the ill person rests, drinks plenty of fluids and eats nutritious food.



Wear a medical mask when in the same room with an ill person. Do not touch the mask or face during use and discard it afterward.

Frequently clean hands with soap and water or alcohol-based rub, especially:

- after any type of contact with the ill person or their surroundings
- before, during and after preparing food
- before eating
- after using the toilet



Use dedicated dishes, cups, eating utensils, towels and bedlinens for the ill person. Wash dishes, cups, eating utensils, towels, or bedlinens used by the ill person with soap and water.



Identify frequently touched surfaces by the ill person and clean and disinfect them daily.



Call your health care facility immediately if the ill person worsens or experiences difficulty breathing.



MAPUA
UNIVERSITY

HEALTH SERVICES